



SAFETY DATA SHEET

This safety data sheet complies with the requirements of: 29CFR1910.1200

Issue Date 11-May-2015

Revision Date 28-Dec-2018

Version 2

Product identifier

Product Name Containment Coating

Other means of identification

Product Code LUCAS 1200

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Architectural Coating.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address R.M. Lucas Company
3211 South Wood Street
Chicago, Illinois 60608
(773) 523-4300

Emergency telephone number

Emergency Telephone Call CHEMTREC Day or Night:
Within USA and Canada: 1-800 424-9300

2. HAZARDS IDENTIFICATION

Classification


OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|-----------------|-------------|
| Carcinogenicity | Category 1A |
|-----------------|-------------|

Label elements

Emergency Overview

| | | |
|---|------------------------------|-----------------|
| Danger | | |
| Hazard statements May cause cancer | | |
|  | | |
| Appearance Viscous | Physical state Liquid | Odor Low |

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Unknown acute toxicity 35% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS**Substance****Mixture**

This product is a mixture.

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Common name Acrylic Coating.
Synonyms None.
Chemical nature Aqueous solution.

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|--------------------|------------|----------|--------------|
| Water | 7732-18-5 | 30 - 40% | * |
| Calcium Carbonate | 1317-65-3 | 30 - 40% | * |
| Acrylic Co-Polymer | 25035-69-2 | 20 - 30% | * |
| Titanium Dioxide | 13463-67-7 | 0 - 10% | * |
| Ethylene glycol | 107-21-1 | 0 - 10% | * |
| Quartz | 14808-60-7 | 0 - 10% | * |

4. FIRST AID MEASURES**Description of first aid measures**

General advice Under conditions of normal use, no hazards are anticipated which require special first aid measures.

Eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin contact Wash thoroughly with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. In the case of skin irritation or allergic reactions see a physician.

Inhalation Move to fresh air in case of accidental inhalation of vapors. If continued difficulty with breathing is experienced, get medical attention immediately.

Ingestion Not an expected route of exposure. If swallowed, do not induce vomiting. Get medical attention immediately.

Self-protection of the first aider First aider: Pay attention to self-protection!

Most important symptoms and effects, both acute and delayed

Symptoms May cause skin irritation. May cause eye irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO₂). Sand. Use foam or water FOG as a last resort.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products Thermal decomposition (burning) may release irritating, corrosive and/or toxic gases, vapors and fumes.

Explosion data

Sensitivity to Mechanical Impact Not sensitive.

Sensitivity to Static Discharge Not sensitive.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal precautions No action should be taken involving any personal risk or without suitable training. Use personal protective equipment as required.

Other Information Extremely slippery when spilled.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering sewers, drains, or waterways. Local authorities should be advised if significant spillages can not be contained. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Contain spillage with non-combustible absorbent material, e.g. sand, earth, diatomaceous earth, vermiculite.

Methods for cleaning up Pick up the absorbed material (described just above) and transfer to properly labeled containers for disposal according to local / national regulations (see Section 13).

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling Use personal protective equipment as required. Use only outdoors.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing. Keep containers tightly closed in a cool, dry, well-ventilated place.

Incompatible materials Strong acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

No ACGIH or OSHA PEL is assigned to this mixture.

Exposure limits for the component materials are shown below.

This product, as supplied, is not believed to contain any hazardous material that exceeds exposure limits established by OSHA.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------------|---|--|--|
| Calcium Carbonate 1317-65-3 | - | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| Titanium Dioxide 13463-67-7 | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust | IDLH: 5000 mg/m ³ TWA: 2.4 mg/m ³ CIB 63 fine TWA: 0.3 mg/m ³ CIB 63 ultrafine, including engineered nanoscale |
| Ethylene glycol 107-21-1 | STEL: 50 ppm vapor fraction STEL: 10 mg/m ³ inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction | (vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m ³ | - |
| Quartz 14808-60-7 | TWA: 0.025 mg/m ³ respirable particulate matter | TWA: 50 µg/m ³ TWA: 50 µg/m ³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction | IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust |

Appropriate engineering controls

Engineering Controls None under normal outdoor use conditions.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing that is resistant to chemical penetration.

Respiratory protection No protective equipment is needed under normal use conditions.

General Hygiene Considerations Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|-------------|-----------------------|------------------|
| Physical state | Liquid | Odor | Low |
| Appearance | Viscous | Odor threshold | Negligible odor. |
| Color | Gray Liquid | | |

| | | |
|-------------------------------------|--------------------------|---|
| Property | Values | Remarks • Method |
| pH | No applicable | |
| Melting point/freezing point | None / 0 °C None / 32 °F | Melting Point is not applicable. Freezing points are shown. |

| | |
|----------------------------|--|
| Product Information | Toxicological testing has not been conducted for this product overall. Available toxicological data for individual ingredients are summarized below. |
| Inhalation | Avoid breathing vapors or mists. |
| Eye contact | Avoid contact with eyes. Contact with eyes may cause irritation. |
| Skin contact | May cause irritation. |
| Ingestion | If swallowed, do not induce vomiting. Get medical attention immediately. Not an expected route of exposure. |

Component Information * No significant exposure to Crystalline Silica (Quartz) is thought to occur during the use of products in which Crystalline Silica (Quartz) is bound to other materials, such as in paints and coatings. As one reference, see California Office of Health Hazard Assessment at: http://www.oehha.org/prop65/CRNR_notices/safe_use/sylicasud2.html

The IARC Monograph (Vol 93, 2010, Carbon Black, Titanium Dioxide, Talc) states: "No significant exposure to primary particles of Titanium Dioxide is thought to occur during the use of products in which Titanium Dioxide is bound to other materials, such as in paints."

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|-----------------------|--|-----------------|
| Water 7732-18-5 | > 90 mL/kg (Rat) | - | - |
| Titanium Dioxide 13463-67-7 | > 10000 mg/kg (Rat) | - | - |
| Ethylene glycol 107-21-1 | = 4700 mg/kg (Rat) | = 10600 mg/kg (Rat) = 9530 µL/kg (Rabbit) | - |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|--|
| Skin corrosion/irritation | Can cause skin irritation. |
| Serious eye damage/eye irritation | Irritating to eyes. |
| Irritation | Irritating to eyes and skin. |
| Corrosivity | Not classified. |
| Sensitization | May cause sensitization of susceptible persons. |
| Germ cell mutagenicity | This product does not contain any ingredients that cause germ cell mutagenicity. |
| Carcinogenicity | The table below indicates whether each agency (ACGIH, IARC, NTP, or OSHA) has listed any ingredient as a carcinogen. |

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|-------|----------|-------|------|
| Titanium Dioxide 13463-67-7 | - | Group 2B | - | X |
| Quartz 14808-60-7 | A2 | Group 1 | Known | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not classifiable as a human carcinogen.

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity None known for product as a whole.

| | |
|---------------------------------|------------------------------------|
| Developmental Toxicity | None known for product as a whole. |
| Teratogenicity | None known. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document For exterior use only. Do not use indoors.

ATEmix (oral) 16,437.00

12. ECOLOGICAL INFORMATION

Ecotoxicity

14.75% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|-----------------------------|--|---|--|
| Ethylene glycol 107-21-1 | 6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 41000: 96 h Oncorhynchus mykiss mg/L LC50 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static | 46300: 48 h Daphnia magna mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical Name | Partition coefficient |
|-----------------------------|-----------------------|
| Ethylene glycol 107-21-1 | -1.93 |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable local, regional, national and international laws and regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

Note: This material is not subject to regulation as a hazardous material for shipping

DOT Not regulated.

TDG Not regulated.

MEX Not regulated.

| | |
|-------------------|--------------------------------------|
| <u>ICAO (air)</u> | Not regulated. |
| <u>IATA</u> | Not regulated. |
| <u>IMDG</u> | Not regulated. |
| <u>RID</u> | Not applicable in the United States. |
| <u>ADR</u> | Not applicable in the United States. |
| <u>ADN</u> | Not applicable in the United States. |

15. REGULATORY INFORMATION

International Inventories

| | |
|-----------------|---|
| TSCA | All of the components of this product are listed on the US TSCA (Toxic Substances Control Act) Inventory or are exempt. |
| DSL/NDSL | All of the components of this product are listed on the DSL. |

Legend:

| | |
|----------------------|--|
| TSCA | - United States Toxic Substances Control Act Section 8(b) Inventory |
| DSL/NDSL | - Canadian Domestic Substances List/Non-Domestic Substances List |
| EINECS/ELINCS | - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances |
| ENCS | - Japan Existing and New Chemical Substances |
| IECSC | - China Inventory of Existing Chemical Substances |
| KECL | - Korean Existing and Evaluated Chemical Substances |
| PICCS | - Philippines Inventory of Chemicals and Chemical Substances |
| AICS | - Australian Inventory of Chemical Substances |

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|----------------------------|-------------------------------|
| Ethylene glycol - 107-21-1 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|--|----|
| Acute health hazard | No |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-----------------------------|--------------------------|----------------|--|
| Ethylene glycol 107-21-1 | 5000 lb | - | RQ 5000 lb final RQ RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|-------------------------------|---------------------------|
| Titanium Dioxide - 13463-67-7 | Carcinogen |
| Ethylene glycol - 107-21-1 | Developmental |
| Quartz - 14808-60-7 | Carcinogen |

U.S. State Right-to-Know Regulations

This product contains the following substances regulated by various State Right-to-Know regulations.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Water 7732-18-5 | - | - | X |
| Calcium Carbonate 1317-65-3 | X | X | X |
| Titanium Dioxide 13463-67-7 | X | X | X |
| Ethylene glycol 107-21-1 | X | X | X |
| Quartz 14808-60-7 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| | | | | |
|-------------|------------------|----------------|--------------------|------------------------------------|
| NFPA | Health hazards 1 | Flammability 0 | Instability 0 | Physical and Chemical Properties - |
| HMIS | Health hazards 1 | Flammability 0 | Physical hazards 0 | Personal protection - |

Prepared By
Issue Date
Revision Date
Revision Note

Prepared by Adam Dunn
11-May-2015
28-Dec-2018

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet