

SAFETY DATA SHEET

This safety data sheet complies with the requirements of: GB/T 17519-2013

Issue Date 16-Jul-2024 Revision Date 29-Sep-2025 Version 1

Product identifier

Product Name Roof Prep Cleaner

Other means of identification

Product Code LUCAS 5025 UN/ID no. 1268 Synonyms Cleaner

Recommended use of the chemical and restrictions on use

Recommended Use Solvent.

Uses advised against For exterior use only. Do not use indoors. Use with adequate ventilation. Keep airborne

concentrations below legal and recommended limits.

Details of the supplier of the safety data sheet

Manufacturer Address R.M. Lucas Company

12400 South Laramie Ave Alsip, Illnois 60803 (773) 523-4300

Emergency telephone number

Emergency Telephone Call CHEMTREC Day or Night:

Within USA and Canada: 1-800 424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Aspiration hazard	Category 1
Flammable liquids	Category 2

Label elements

Emergency Overview

Danger

Hazard statements


Causes skin irritation

Causes serious eye irritation

May cause drowsiness or dizziness

May be fatal if swallowed and enters airways

Highly flammable liquid and vapor





Appearance Clear Physical state Liquid Odor Solvent

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Use only non-sparking tools

Take action to prevent static discharges

Wear protective gloves/eye protection/face protection

Keep cool

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Unknown acute toxicity 30 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Synonyms

Cleaner.

Chemical name	CAS No.	Weight-%	Trade secret
Acetone	67-64-1	70 - 80%	*
Petroleum distillates, hydrotreated light	64742-47-8	30 - 40%	*

4. FIRST AID MEASURES

Revision Date 29-Sep-2025

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms N/A.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

N/A.

Explosion data

Sensitivity to Mechanical Impact SEALANT.
Sensitivity to Static Discharge SEALANT.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up the absorbed material (described just above) and transfer to properly labeled

containers for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Revision Date 29-Sep-2025

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Store in a dry place away

from excessive heat, in original or similar waterproof containers. Keep away from heat,

sparks, flame and other sources of ignition.

Incompatible materials Acids. Bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Acetone	Acetone TWA: 250 ppm		IDLH: 2500 ppm
67-64-1	STEL: 500 ppm	TWA: 2400 mg/m ³	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m ³
		(vacated) TWA: 1800 mg/m ³	
		(vacated) STEL: 2400 mg/m ³ The	
		acetone STEL does not apply to the	
	cellulose acetate fiber industry. It is		
	in effect for all other sectors.		
		(vacated) STEL: 1000 ppm	

Appropriate engineering controls

Showers **Engineering Controls**

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

No special technical protective measures are necessary. Eye/face protection

Skin and body protection No special technical protective measures are necessary.

If exposure limits are exceeded or irritation is experienced, a NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear Solvent Odor Color **Odor threshold** N/A N/A

Property Values Remarks • Method

No information available No information available Melting point/freezing point

Boiling point / boiling range 55 °C / 131.0 °F

Flash point > -20 °C / > -4 Pensky-Martens Closed Cup (PMCC) 7.7

Evaporation rate Butly acetate = 1

Flammability (solid, gas) N/A

Flammability Limit in Air For exterior use only. Do not use indoors. Upper flammability limit: 2.6%

Revision Date 29-Sep-2025

Lower flammability limit: 12.8%

Vapor pressure 185 @ 20 °C

Vapor density Heavier than Air

Specific gravity .78

Water solubility Immiscible in water

Solubility in other solvents N/A Soluble in aromatic and aliphatic solvents.

Partition coefficient N/A

Autoignition temperature No information available

HyphenN/AKinematic viscosityN/ADynamic viscosityN/AExplosive propertiesN/AOxidizing propertiesN/A

Other information

Softening point N/A Molecular weight N/A

VOC Content (%) Less than 375 g/l.

Density N/A Bulk density N/A

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Acids. Bases.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available.

Inhalation Inhalation of process vapors may cause respiratory irritation. Toxic by inhalation.

Eye contact Avoid contact with eyes.

Skin contact No data available.

Ingestion No data available.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m ³ (Rat) 8 h
67-64-1			

Revision Date 29-Sep-2025

Petroleum distillates, hydrotreated	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
light			
64742-47-8			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms N/A.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization N/A.
Germ cell mutagenicity N/A.

Carcinogenicity The table below indicates whether each agency (ACGIH, IARC, NTP, or OSHA) has listed

any ingredient as a carcinogen.

Reproductive toxicity N/A.
STOT - single exposure N/A.
STOT - repeated exposure N/A.

Target organ effects Respiratory system, Eyes, Skin, Central nervous system.

Aspiration hazard N/A.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 5,800.00

 ATEmix (dermal)
 15,700.00

 ATEmix (inhalation-gas)
 99,999.00

 ATEmix (inhalation-dust/mist)
 100.20

 ATEmix (inhalation-vapor)
 99,999.00

12. ECOLOGICAL INFORMATION

Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Acetone	-	LC50: 4.74 - 6.33mL/L (96h,	EC50: 10294 - 17704mg/L (48h,
67-64-1		Oncorhynchus mykiss)	Daphnia magna)
		LC50: 6210 - 8120mg/L (96h,	EC50: 12600 - 12700mg/L (48h,
		Pimephales promelas)	Daphnia magna)
		LC50: =8300mg/L (96h, Lepomis	
		macrochirus)	
Petroleum distillates, hydrotreated	-	LC50: =45mg/L (96h, Pimephales	-
light		promelas)	
64742-47-8		LC50: =2.2mg/L (96h, Lepomis	
		macrochirus)	
		LC50: =2.4mg/L (96h, Oncorhynchus	
		mykiss)	

Persistence and degradability

N/A.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Acetone	-0.24
67-64-1	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Revision Date 29-Sep-2025

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable local, regional, national and international

laws and regulations.

Contaminated packaging Do not reuse container.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone	-	Included in waste stream:	-	U002
67-64-1		F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Acetone	Ignitable
67-64-1	

14. TRANSPORT INFORMATION

DOT

UN/ID no. 1268

Proper shipping name Flammable liquids, n.o.s.(Acetone, Petroleum distillates)

Hazard Class 3
Packing Group ||

Special ProvisionsNot regulated for ground transport in containers less than one liter including aerosols.

TDG Not regulated.

MEX

ICAO (air)

<u>IATA</u> Not regulated.

IMDG

ADR Not regulated.

Not regulated.

ADN Not regulated.

15. REGULATORY INFORMATION

International Inventories

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Revision Date 29-Sep-2025

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard Yes

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Chemical name Hazardous Substances RQs Extrem		Reportable Quantity (RQ)
Acetone	5000 lb	-	RQ 5000 lb final RQ
67-64-1			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acetone	X	X	X
67-64-1			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 3 Instability 1 Special hazards - HMIS Health hazards 2 Flammability 3 Physical hazards 1 Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Prepared By Lucas Technical Service Department

 Issue Date
 16-Jul-2024

 Revision Date
 29-Sep-2025

Revision Note

N/A

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet